



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION I	NO	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/073,061		02/12/2002	Kun-soo Kim	1293.1315	2397
21171	7590	10/13/2006		EXAMINER	
		SEY LLP	PSITOS, ARISTOTELIS M		
SUITE 7 1201 NE		AVENUE, N.W.	ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20005				2627	
				DATE MAILED: 10/13/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/073,061	KIM ET AL.					
Office Action Summary	Examiner	Art Unit					
	Aristotelis M. Psitos	2627					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 7/12/6	06 & 4/25/06.						
·							
<i>;</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1,2,4,6-34,50-55 and 60-74 is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6) Claim(s) <u>1,2,4,6-34,50-55 and 60-74</u> is/are reje	6)⊠ Claim(s) <u>1,2,4,6-34,50-55 and 60-74</u> is/are rejected.						
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) acce		Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P						
Paper No(s)/Mail Date	6) Other:						

Art Unit: 2627

DETAILED ACTION

Applicants' responses of 4/25/06 & 7/12/06 have been considered with the following results.

Information Disclosure Statement

The IDS of 8/30/06 has been made of record.

Specification

The amendment to the title of the invention has been entered.

In the following analysis, the examiner groups/identifies the following claims together by concept/limitation.

Group:

- a) Claims 1, 68,72 are drawn to an optical servo system wherein te is predicated upon the type of recording medium,
- b) claims 2, 7,8 and 70-73: further identifying the type of medium as rom and writable,
- c) Claims 4,6, controller ability,
- e) claims 9-13: further identifying the photodetectors,
- f) claims 14-21: identifying an i/v conversion ability,
- g) claims 22-28: identifying first and second order diffracted light,
- h) claims 29-34: phase difference between certain sub-light beams,
- k) claims 50-55: identifying an optical path changing ability,
- I) claims 65-67: identifying a first and second light source.

Claim Objections

Applicant is advised that should claims 1, 2 and 67 be found allowable, claims 72,73 and 74 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Art Unit: 2627

Response to Arguments

Applicant's arguments filed 7/12/06 and 4/25/06 have been fully considered but they are not persuasive. The examiner can discern no patentable distinction between independent claims 1 and 72.

Further elaboration is respectfully required.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

2. Claims 1, 2,4,6-13,22-27,29-34,50-55, and 65-74 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 10-149564 further considered with JP 07-320287. The examiner refers to the MAT (machine assisted translation) of these documents (supplied either previously or herewith) as noted in the analysis below.

Claim 1 JP 10-149564 (MAT)

An optical recording/reproducing apparatus, see title/abstract

comprising:

an optical pickup including

an optical splitting device

which splits light emitted from a first light source

into a source main light beam and at least four

sub-light beams which are symmetrical with

respect to the main light beam, and

irradiates the split source main and sub-light beams

on a recording medium, and

see discussion wrt

figures 1-3

light source and splitting

is performed/discussed

main bean as well as the

four secondary spots

Art Unit: 2627

a light detection device, which receives a reflected main light beam and reflected sub-light beams reflected by the recording medium, and outputs detection signals corresponding to the received reflected main and sub-light beams, so as to detect tracking error signals in a three-beam method and at least one of a push-pull method and an improved push-pull method;

photodetector 213
see MAT starting at
paragraph 3

and
a signal processor, which receives the detection
signals output by the light detection

device and detects a first tracking error signal in the three-beam method and a second tracking error signal in the

one of the push-pull method and the improved

push-pull method,

processor of combined references

see secondary JP

reference

wherein the sub-light beams which are symmetrical with respect to the main light beam comprise first two sub-light beams and second two sub-light beams, the first two sub-light beams being closer to the main light beam

than the second two sub-light beams,

see figures 2 & 3

Art Unit: 2627

wherein the signal processor comprises:

a first detection portion, which detects
the tracking error signal in the improved
push-null method from second detection signals
of the second two sub-light-beams and main
detection signals of the main light beam; and

combined teaching

of the JP documents

a second detection portion, which detects the tracking error signal in the three-beam method from first detection signals of the first two sub-light beams, and

wherein the light detection device includes a switch selectively outputting the first and second detection signals to the first and second detecting portions, respectively.

follows

see secondary JP

reference.

In the above analysis, the base JP system 10-149564 discusses the prior at 3 beam tracking error systems, the problems arising therefrom in higher density discs, and the solution by arranging for auxiliary beams – see the discussion with respect to figures 1-3 in the MAT (machine assisted translation).

There is no clear depiction of selectively switching between the 3 Beam tracking method and at least one of PP of IMPROVED PP.

JP 07-320287 discusses both a 3 beam and an additional DPP system so as to generate TE signals from TES and TEP – see abstract as well as the entire MAT (machine assisted translation).

Furthermore, as noted in the discussion of figure 1 and the switch element 36, a selective outputting of the appropriately detected signals is enabled.

It would have been obvious to modify the base system of JP 10-140564 with the additional teaching from the JP 07-320287 system so as to permit both a 3 beam and an improved pp tracking error capability to be selectively engaged and hence meeting the claimed limitations. Motivation is as discussed by the overall environment of both documents, i.e., difference in pit depths/increased density disc formats.

Method claim 68 is met when the above systems operate. Apparatus claim 72 is a duplicate of claim 1 and falls as being met – see above analysis of claim 1.

With respect to claim 2, see paragraphs 11-13 of JP 07-320287 which teach/disclose such.

With respect to claims 4, 6 and 7 and 8 see paragraphs 13-16, as well as the discussion of the operation of element 37 in figure 1, wherein this element is so interpreted.

With respect to claims 9-13 – the photodetectors are depicted in figure 1 of JP 07-320287.

With respect to claims 22-34, the examiner interprets the diffraction capability of the secondary reference as meeting this limitation.

With respect to claims 50-55 and 65-67, see the discussion of figure 6 starting in paragraph 77 in the MAT of the primary reference 10-149564 which discloses such an additional ability.

Response to Arguments

Applicant's arguments filed 7/12/06 & 4/25/06 have been fully considered but they are not persuasive. The examiner maintains the reasoning as stated above. Element 36 in paragraph 28 of the MAT of JP 07-320287 references such as a "change means". The figure depicts such as a switch.

Hence the examiner disagrees with applicants' arguments.

3. Claims 1-2,14-21, 29-34, 66-74 are rejected under 35 U.S.C. 102 (e) as being anticipated by, or alternatively under 103 (a) as being obvious further considered with JP 07-320287.

The following analysis is made with respect to independent claim:

Claim 1

liima et al

An optical recording/reproducing

title/abstract of ljima et al

apparatus comprising:

Art Unit: 2627

an optical pickup including

see figure 1 element 1

an optical splitting device which splits light

emitted from a first light source into a

see col. 2, lines 21-39

source main light beam and

main beam

at least four source sub-light beams

which are symmetrical with

respect to the main light beam,

first -fourth preceding and succeeding

beams,

see discussion starting at col. 8, line 1

and irradiates the split source main

and source sub-light beams

on a recording medium, and

function follows

a light detection device which

receives a reflected main light beam

and the reflected sub-light beams reflected

by the recording medium,

and outputs detection signals

corresponding to the received reflected main

and sub-light beams, so as to detect tracking error

signals in a three-beam method and

one of a push-pull method and an

improved push-pull method; and

detecting elements

see discussion of fig. 4

see te operation of the

combined teachings

Art Unit: 2627

a signal processor, which receives the detection signals output by the light detection device and detects the tracking error signals in the three-beam method and the one of the push-pull method and the improved push-pull method,

see discussion of fig. 14

wherein the sub-light beams which
are symmetrical with respect to the
main light beam
comprise first two sub-light beams and
second two sub-light beams,
the first two sub-light beams
being closer to the main light beam
than the second two sub-light beams,

such symmetry exists

wherein the signal processor comprises:

a first detection portion, which detects
the tracking error signal in the improved
push-null method from second detection signals
of the second two sub-light-beams and main
detection signals of the main light beam; and

SSD & DPP discussed, see disclosure with respect to figure 7.

a second detection portion, which detects the tracking error signal in the three-beam method from first detection signals of the first two sub-light beams,

and

follows

wherein the light detection device includes a switch selectively outputting the first and

element 302 in figure 1 or alternatively, the 2nd ref.

second detection signals to the first and second detecting portions, respectively.

As analyzed above: Under 102 considerations;

Ijima et al discloses an optical system wherein various types of te servo systems/abilities are appropriately engaged so as to detect such a condition predicated upon medium type.

Applicants' attention is drawn to figures 1, 3,8 and 14 and the associated disclosure.

Wherein:

a) Ijima et al provides for a plurality of light sources, see col 9, lines 36 plus with respect to claims in the above identified group k; col 23 lines 32 plus with respect to claims in the above identified group e. Furthermore, applications attention is drawn to the discussion with respect to figure 1 starting at col. 6 line 60 to col. 8 line 61 wherein the reference discusses a three beam te ability, a differential push pull te ability and a differential phase detection te ability. Figure 14 depicts in table format the ability of various te abilities predicated upon medium type.

As amended, as noted in the above analysis, the emitted beam is now split into a main beam and at least 4 sub beams. Ijima et al does discussion the dividing of the emitting beam, to permit DPP mode of operation, as well as the 3-beam (main and two sunbeams).

The above noted passages are considered sufficient to depict the additional claimed elements.

With respect to the switching ability, under 102 considerations, the examiner interprets the discussion of element 302 as meeting such.

With respect to claims 14-21 the i/v conversion is discussed in the primary reference with respect to element 10 in figure 7, i.e., the i/v conversion capability.

With respect to claims 29-34, such phase difference is considered inherent in the diffraction grating of the primary reference.

Alternatively, if applicants can convince the examiner, no such switch exists, then under 103 considerations, the examiner relies upon the secondary JP document – see the discussion with respect to figure 1 and the switch element depicted therein as teaching such.

It would have been obvious to modify the base system of Ijima et al with the above additional switching/switch capability as further taught by the JP 07-320287 system, motivation is as overall discussed, switching between various tracking modes of operation.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are not persuasive. Element 302 is defined as a selection circuit, and as such is interpreted – under 102 as meeting the claimed "switch". Alternatively under the 103 considerations, the secondary reference teaches such a switch for selecting purposes.

4. Claims 6-8, 9-13 and 22-27, 50-55 are rejected under 35 U.S.C. 103(a) as being unpatentable over the art as applied to claims as stated in paragraph 3 above, and further in view of Shindo.

With respect to claim 6-8 as noted above the operational switching is further taught by the secondary JP reference, if not inherently present in the primary reference. Such switching in accordance with the type of disc detected is part of the above discussion with respect to switching the modes of operations and hence obvious over the above references.

The sub-photodetector arrangement of claims 9-12, and 13, as well as claims 22-27 are also depicted in Shindo et al for appropriate detection of the second order diffracted light beam.

With respect to claims 14 and 15, these claims are part of group f and are present as discussed above.

Although the examiner considers these claims as being present in the references as relied upon in paragraph 3 above, the further depiction/teaching from Shindo elaborates upon such.

It would have been obvious to modify the base references as relied upon above in paragraph 3 with the additional teaching from Shindo, motivation is to properly detected the reflected beams.

With respect to claims 50-55, Shindo also teaches an alternative optical arrangement with respect to the two light beam sources having an appropriate beam path changing element as depicted by figures 32,33 and 38.

It would have been obvious to modify the base system as relied upon above in paragraph 3, with this further teaching. Motivation is to provide for alternative beam sources so as to provide a variation/equivalent of the beam sources. No patentable distinction is seen to occur from selection such an equivalent alternative.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are not persuasive for the reasons stated above.

5. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over the art as applied to claim 60 above, and further in view of Nakai.

With respect to the limitations of claim 28 although there is no specific mentioning of the diffraction efficiency in the above noted references, the ability in providing appropriate efficiencies for diffraction elements is well known as taught by the Nakai reference – see the discussion with respect to the diffraction efficiency table in figure 2 vs. various wavelengths.

It would have been obvious to modify the base system as stated above in paragraph 8 with the additional ability of Nakai and provide the appropriate diffraction efficiency as required. The diffraction ration is an optimization of system parameters and obvious to those of ordinary skill in the art – see *In re**Peterson, 65 USPQ 1379.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are not persuasive for the reasons stated above.

6. Claims 60-65 are rejected under 35 U.S.C. 103(a) as being unpatentable over the art as applied to claims as stated in paragraph 3 above, and further in view of Izumi et al.

The claims introduce an alternative capability starting with claim 60. The examiner interprets such as being present/taught by Izumi et al – the astigmatic focusing capability.

Page 12

Furthermore, Izumi et al also teach/disclose the plural light sources, the use of the k factor – see discussion starting at col. 16 line 1 and the discussion with respect to the switching capability 78/79.

It would have been obvious to modify the base system and modify such by including appropriate astigmatic focusing capability, motivation is to provide for a properly focused light beam upon the record medium.

Use of gain values (k) is well known in this environment as also found in Izumi et al for proper signal processing.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are not persuasive for the reasons stated above.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. References to Takahashi et al – '636, Uemura et al – '543 and Ogasawara et al '612 are additionally cited as teaching of a "switch" in this environment performing its inherent function and any of these secondary references could be relied upon in the above rejections(s) as teaching such.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aristotelis M. Psitos whose telephone number is (571) 272-7594. The examiner can normally be reached on M-F: 6:00 - 2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Dwayne D. Bost can be reached on (571) 272-7023. The fax phone number for the organization where
this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AMP

Aristotelis M Psitos Primary Examiner

Art Unit 2627